

## **GEOLOGY AND MINING HISTORY OF THE CENTRAL SPRING MOUNTAINS, CLARK AND NYE COUNTIES, NEVADA**

### **REFERENCES AND BIBLIOGRAPHY**

Albritton, Claude C., Jr. and, Arthur Richards, Arnold L. Browkaw and John A. Reinmung, 1954, Geologic Controls of Lead and Zinc Deposits in Goodsprings (Yellow Pine) District, Nevada, USGS Bulletin 1010, 110 p. See pp .97-100.

Anderson, Ernest R., 2017 Major revisions of the timing, style, magnitude, and cause of Early Miocene extension in the Central Mojave metamorphic core complex and subsequent role of the Eastern California Shear Zone, in Robert Reynolds, editor, 2017, ECSZ Does !t: Revisiting the Eastern California Shear Zone. California State University Desert Studies Center 2017 Desert Symposium Field Guide and Proceedings April 2017

Angel, M. ed., 1881, History of Nevada, with illustrations and biographical sketches of its prominent men and pioneers: Oakland, California, Thompson and West, 680 p. (reprinted 1958 by Howell-North, Berkeley, California).

Anonymous, 1893a. Yellow Pine district, Nevada Mining and Scientific Press, vol. 66, p. 260. Describes recent work at the Keystone, Boss, and Clementina mines.

Anonymous, 1893b, A promising district: Mining and Scientific. Press, volume 67, p. 113. Describes conditions in the Yellow Pine district.

Anonymous, 1897, Engineering and Mining Journal., volume 64, p. 677. Describes recent work by A. G. Campbell.

Anonymous, 1902, Engineering and Mining Journal, volume 74, pp. 446-447. Presents list of 24 active mines

Armstrong, D.C., 1982, [A study of the Goodsprings Mining District, Clark County, Nevada](#): University of London, scale 1:600.

Averett, W.R., 1962, Directory of southern Nevada place names: Las Vegas, Nevada, Walter R. Averett, 114 p.

Axen, G.J., 1980, [Geology of the La Madre Mountain area, Spring Mountains; southern Nevada](#): Massachusetts Institute of Technology, scale 1:25,000.

Axen, Gary J., 1984, Thrusts in the eastern Spring Mountains, Nevada: Geometry and mechanical implications, Geological Society of America Bulletin (1984) 95 (10): 1202-1207. Map scale 1:63,360 See [https://doi.org/10.1130/0016-7606\(1984\)95<1202:TITESM>2.0.CO;2](https://doi.org/10.1130/0016-7606(1984)95<1202:TITESM>2.0.CO;2)

Axen, G.J., 1985, [Geologic Map of La Madre Mountain, Spring Mountains, Southern Nevada](#): Geological Society of America, Map and Chart Series MC-51, scale 1:25,000

Barnes, Harley, Ekren, E.B., Rodgers, C.L., and Hedlund, D.C., 1982, [Geologic and tectonic maps of the Mercury quadrangle, Nye and Clark Counties, Nevada](#): U.S. Geological Survey, Miscellaneous Investigations Series Map I-1197, scale 1:24,000.

Barton, P. B., Jr., and Behre, C. H., Jr., 1954• Interpretation and evaluation of the uranium occurrences near Goodsprings, Nevada: U.S. Atomic Energy Comm., RME-3119.

Barton, Paul Booth, 1956, Fixation of uranium in the oxidized base metal ores of the Goodsprings District, Clark County, Nevada, *Economic Geology* (1956) 51 (2): 178-191. See <https://doi.org/10.2113/gsecongeo.51.2.178>

Bell, J.W., Ramelli, A.R., dePolo, C.M., Maldonado, F., and Schmidt, D.L., 1999, [Geologic Map of the Corn Creek Springs Quadrangle, Nevada](#): Nevada Bureau of Mines and Geology, Map 121, scale 1:24,000

Bain, H. F., 1906, A Nevada zinc deposit: U. S. Geoidal Survey Bulletin. 285, pp. 166-169. Describes the Potosi ore body and concludes that, like those of the Mississippi Valley, it is not related to igneous rocks.

Bingler, E. C., 1977, Geologic map of the Las Vegas SE quadrangle, Clark County, Nevada: Nevada Bureau of Mines and Geology Las Vegas Area Urban Geology Folio, scale 1:24,000.

Bohannon, R.G., 1978, [Preliminary geologic map of the Las Vegas 1 degree x 2 degree quadrangle, Nevada, Arizona, and California](#): U.S. Geological Survey, Open-File Report OF-78-670, scale 1:250,000.

Bohannon, R.G., and Morris, R.W., 1980, Preliminary report on the mineral resource potential of the Red Rocks Escarpment Instant Study area, Clark County, Nevada: U.S. Geological Survey, Open-File Report OF-80-1055, scale 1:62,500.

Bohannon, R.G., and Morris, R.W., 1983, Geologic and mineral resources map of the Red Rocks Escarpment Instant Study Area, Clark County, Nevada: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1522, scale 1:62,500.

Bonham, H. F., 1967a, Gold producing districts of Nevada, Nevada Bur. Mines and Geology Map 32.

Bonham, H. F., 1967b, Silver producing districts of Nevada, Nevada Bur. Mines and Geology Map 33.

Bowyer, Ben, Pampeyan, E.H., and Longwell, C.R., 1958, Geologic map of Clark County, Nevada: U.S. Geological Survey, Mineral Investigations Field Studies Map MF-138, scale 1:200,000.

Bradley, W. G., 1932, Methods and costs of mining and crushing gypsum at the mine of the Blue Diamond Corporation, Ltd., Arden, Nevada: U.S. Bur. Mines Information Circular 6615.

Briskey, Joseph A, 1992b, Descriptive Model of Appalachian Zn, Model 32b in Cox and Singer, Mineral Deposit Models, U.S. Geological Survey Bulletin 1693

Brugger, Joel, D.C. McPhale, Malcom Wallace and John Waters, 2003, Formation of Willemite in Hydrothermal Environments, *Economic Geology*, Volume 93, pp. 819-835.

Burchard, H. C., 1882, Report of the Director of the Mint, 1882, pp. 163-164, (published in 1893). This and later reports refer briefly to the Yellow Pine district.

Burchfiel, B. C., 1964, Precambrian and Paleozoic stratigraphy of the Specter Range quadrangle, Nye County, Nevada: *Am. Assoc. Petroleum Geologists Bull.*, v. 48, p. 40-56.

Burchfiel, B.C., 1965, Structural geology of the Specter Range quadrangle, Nevada, and its regional significance: *Geol. Soc. America Bull.*, v.76, p. 175-192.

Burchfiel, B.C., 1974, [Geology of the Spring Mountains, Nevada](#): Geological Society of America, Bulletin 85(7):1013-1022, scale 1:63,360.

Burchfiel B. C., and Davis. G. A.. 1971, Clark Mountain thrust complex in the Cordillera of southeastern California: Geologic summary and field trip guide: Geological Society of America, Cordilleran Section. Guidebook for field trip no. I, p. 1-28; also published as University of California, Riverside, Campus Museum Contributions, no. I. p. 1-28.

Burchfiel, B.C., R. J. Fleck, D. T. Secor, R. R. Vincelette, and G. A. Davis, 1974, Geology of the Spring Mountains, Nevada, *Geological Society of America Bulletin*, (1974) 85 (7): 1013-1022. See [https://doi.org/10.1130/0016-7606\(1974\)85<1013:GOTSMN>2.0.CO;2](https://doi.org/10.1130/0016-7606(1974)85<1013:GOTSMN>2.0.CO;2)

Butler, B. S., and others, The ore deposits of Utah: U. S. Geol. Survey Professional. Paper 111, p. 530, 1920.

Burton, W.D., 1962, [Geology of the western part of the La Madre Mountain area, Clark County, Nevada](#): University of California, Los Angeles, scale 1:18,000.

Cameron. C. S., 1977, Structure and stratigraphy of the Potosi Mountain area, southern Spring Mountains. Nevada [ M A thesis]:Houston, Texas, Rice University. 83 p.

Carr, Michel D., 1980, Upper Jurassic to Lower Cretaceous(?) synorogenic sedimentary rocks in the southern Spring Mountains, Nevada, *Geology*, Geological Society of America, (1980) 8 (8): 385-389. See [https://doi.org/10.1130/0091-7613\(1980\)8<385:UJTLCS>2.0.CO;2](https://doi.org/10.1130/0091-7613(1980)8<385:UJTLCS>2.0.CO;2)

Carr, Michel. D., 1978, Structure and stratigraphy of the Goodsprings district, southern Spring Mountains, Nevada: Ph.D. dissertation, Rice University, Houston, Texas, 155p.

Carr, Michel D., 1980, Upper Jurassic to Lower Cretaceous(?) synorogenic sedimentary rocks in the southern Spring Mountains, Nevada: *Geology*, v. 8, p. 385-389.

Carr, Michel D., 1983, Geometry and structural history of the Mesozoic thrust belt in the Goodsprings district, southern Spring Mountains, Nevada, *Geological Society of America Bulletin*, (1983) 94 (10): 1185-1198. See [https://doi.org/10.1130/0016-7606\(1983\)94<1185:GASHOT>2.0.CO;2](https://doi.org/10.1130/0016-7606(1983)94<1185:GASHOT>2.0.CO;2)

Carr, M.D., 1992, [Bedrock geologic map of the Blue Diamond NE 7.5' quadrangle, Clark County, Nevada](#): U.S. Geological Survey, Open-File Report OF-92-363, scale 1:24,000.

Carr, M.D., and Donnell-Canan, Cheryl, 1992, [Bedrock geologic map of the Blue Diamond SE 7.5' quadrangle, Clark County, Nevada](#): U.S. Geological Survey, Open-File Report OF-92-177, scale 1:24,000.

Carr, Michael D and John C. Pinkerton, 1987, Geologic Map of the Goodsprings District, Southern Spring Mountains, Clark County, Nevada, U.S. Geological Survey, Map MF 1514.

Carr, M.D., McDonnell-Canan, Cheryl, and Weide, D.L., 2000, **Geologic map of the Blue Diamond SE quadrangle, Nevada**, Nevada Bureau of Mines and Geology, Map 123, 1:24,000

Carr, Michael D, David A. Sawyer, Kathryn Nimz, Florian Maldonado, and W. C. Swadley, 1996, Digital bedrock geologic map database of the Beatty 30 x 60-minute quadrangle, Nevada and California, U.S. Geological Survey, Open File Report 96-291, Scale 1:100,000.

Carr, W.J., 1991, A contribution to the structural history of the Vidal-Parker region, California and Arizona: U.S. Geological Survey Professional Paper 1430, 40 p.

Castor, S.B., McLaurin, B.T., Ludington, Steve, and Flynn, K.S., 2006, [Mineral resource potential of the Ash Meadows and Amargosa Mesquite Trees areas of critical environmental concern, Nye County, Nevada \[Chapter F\]](#): U.S. Geological Survey, Scientific Investigations Report SIR-2006-5197, scale 1:151,000.

Cox, Dennis P. and Donald A. Singer, 1992, Model 17 "Descriptive Model of Porphyry Cu", Mineral Deposit Models, U.S. Geological Survey Bulletin 1693, p 76

Conrad, J.E., Barton, H.N., and Lipton, D.A., 1986, [Mineral resources of the La Madre Mountains Wilderness Study Area, Clark County, Nevada](#): U.S. Geological Survey, Bulletin 1730-A, scale 1:140,800.

Conrad, J.E., Blank, H.R., and Olson, J.E., 1990, [Mineral resources of additions to the La Madre Mountains Wilderness Study Area, Clark County, Nevada](#): U.S. Geological Survey, Open-File Report OF-90-679, scale 1:250,000.

Conyac, Martin D., 1985, Mineral resources of the Mt. Stirling Wilderness Study Area (BLM No, 050-0401), Nye and Clark Counties, Nevada, Bureau of Mines Mineral Land Assessment (MLA) 25-85, 18 p and map. [Mineral Resources of the Mount Stirling Wilderness Study Area, Nye and Clark Counties, Nevada](#) (1.6 Mb); [https://data.nbmng.unr.edu/Public/freedownloads/mla/mla\\_25-85.zip](https://data.nbmng.unr.edu/Public/freedownloads/mla/mla_25-85.zip).

Cornwall, H.R., 1967, Preliminary geological map of southern Nye County, Nevada: U.S. Geological Survey, Open-File Report OF-67-68, scale 1:200,000.

Cornwall, Henry R., 1972, Geology and mineral deposits of southern Nye County, Nevada, Nevada Bureau of Mines and Geology Bulletin 77, 57 p. with maps; Scale 1:250,000

Crafford, A.E.J., 2010, Geologic terrane map of Nevada: Nevada Bureau of Mines and Geology [Open-File Report 10-4](#), 2 plates, 1:500,000.

Davis Gregory A., 1973, Relations between the Keystone and Red Spring Thrust Faults, Eastern Spring Mountains, Nevada, Geological Society of America Bulletin, (1973) 84 (11): 3709-3716. See [https://doi.org/10.1130/0016-7606\(1973\)84<3709:RBT&KAR>2.0.CO;2](https://doi.org/10.1130/0016-7606(1973)84<3709:RBT&KAR>2.0.CO;2)

Davis, G.A., Anderson, J.L., Frost, E.G., and Shackelford, T.J., 1980, Mylonitization and detachment faulting in the Whipple-Buckskin-Rawhide Mountains terrane, southeastern California and western Arizona: *in* Crittenden, M.D., Davis, G.A., and Coney, P.J., eds., 1980, Cordilleran metamorphic core complexes, Geological Society of America Memoir 153, p. 79-129.

Day, G.W., and Barton, H.N., 1986, [Analytical results and sample locality map for heavy-mineral-concentrate samples from the La Madre Mountains Wilderness Study Area \(NV-050-412\), Clark County, Nevada](#): U.S. Geological Survey, Open-File Report OF-86-195, scale 1:62,500.

Day, G.W., Turner, R.L., Conklin, N.M., and Briggs, P.H., 1986, Analytical results and sample locality map of heavy-mineral -concentrate and rock samples from the Mount Stirling Wilderness Study Area (NV-050-401), Nye and Clark Counties, Nevada: U.S. Geological Survey, Open-File Report OF-86-579, scale 1:62,500.

Deale, E. F .and Heap, G. H., 1854, Central route) the Pacific, pp. 101-108, 1854.

dePolo, C.M., Ramelli, A.R., and Bell, J.W., 1999, **Geology of the Pahrump Quadrangle, Nevada**, Nevada Bureau of Mines and Geology, Open File Report 99-14, 1:24,000

dePolo, C.M., and Ramelli, A.R., 2002, [Preliminary geologic map of the southern half of the Last Chance Range Quadrangle, Nye County, Nevada](#): Nevada Bureau of Mines and Geology, Open File Report 03-14, scale 1:24,000.

Eissler, M., 1891, Metallurgy of argentiferous lead, 1891 ed., preface.

Engineering. and Mining. Journal., 1893, vol. 56, p. 61.

Fillmore, R. P., and J. D. Walker. 1996. Evolution of a supradetachment extensional basin: The lower Miocene Pickhandle basin, central Mojave Desert, California, in *Reconstructing the history of Basin and Range extension using sedimentology and stratigraphy* K. K. Beratan, ed. Geological Society of America Special Paper 303, p. 107–126.

Fleck, R. J., 1967, The magnitude, sequence, and style of deformation in southern Nevada and eastern California [Ph.D. thesis]: Berkeley, California Univ., 92 p.

Fleck, R. J., 1970a, Tectonic style, magnitude, and age of deformation in the Sevier orogenic belt in southern Nevada and eastern California: *Geol. Soc. America Bull.*, v. 81, p. 1705-1720.

Fleck, R. J., 1970b, Age and possible origin of the Las Vegas Valley shear zone, Clark and Nye Counties, Nevada: Geol. Soc. America, Abs. with Programs (Rocky Mountain Sec.), v. 2, no. 5, p. 333.

Fleck, R. J., 1974, Geology of the Charleston Peak and part of the Corn Creek Springs quadrangles, Clark Co., Nevada: Nevada Bur. Mines Bull, (in press).

Fowler, T. K., Jr., Davis, G. A., and Friedmann, S. J., 1996, Tectonic controls on the evolution of Miocene Shadow Valley supradetachment basin, southeastern California. in Punctuated chaos in the northeastern Mojave Desert, R.E. Reynolds and J. Reynolds, ed.: San Bernardino County Museum Association Quarterly, vol. 43, no. 1 and 2, p. 109-114.

Fremont, J. C., 1845, Report of the exploring expedition to the Rocky Mountains, pp. 264-265 (Published in Washington). Fremont camped at Mountain Springs, May 1, 1844, and describes the appearance of the country.

Friedmann, S. J., 1996. Miocene strata below the Shadow Valley basin fill, eastern Mojave Desert, California. in Quarterly, R.E. Reynolds, compiler, and J. Reynolds, ed.: San Bernardino County Museum Association vol. 43, no. 1 and 2, p. 123-126

Friedmann, S. J., Davis, G. A., and Fowler, T. K., 1996, Geometry, paleodrainage, and geologic rates from the Miocene Shadow Valley supradetachment basin, eastern Mojave Desert, California, in Beratan, K. K., ed., Reconstructing the History of Basin and Range Extension Using Sedimentology and Stratigraphy: Boulder, Colorado, Geological Society of America Special Paper 303, p.85-105.

Gans, W. T., 1974, Correlation and redefinition of the Goodsprings Dolomite, southern Nevada and eastern California: Geological Society of America Bulletin, v. 85, p.189-200.

Gans, W. T., 1970, The detailed stratigraphy of the Goodsprings Dolomite southeastern Nevada-California [Ph.D. thesis]: Houston, Texas, Rice Univ., 87 p.

Glazner, A.F., J. M. Bartley, and J. D. Walker. 1989. The Waterman Hills Detachment Fault, central Mojave Desert, California. San Bernardino County Museum Association Special Publication 89, p. 52-60.

Glock, W. S., 1929, Geology of the east-central part of the Spring Mountain Range, Nevada: Am. Jour. Sci., v. 217, p. 326-341.

Gianella, V.P., 1945, Bibliography of geologic literature of Nevada: University of Nevada Bulletin, v. 39, no. 6 (Nevada Bureau of Mines and Geology Bulletin 43, part 1), p. 1-188.

Gilbert, G. K. 1872, in Wheeler, G. M., Preliminary report concerning exploration's and surveys in Nevada and Arizona, pp. 52-53. Describes the Comet (Potosi) mine, examined in 1871.

Gilbert, G. K., 1875, Report on the geology of portions of Nevada, Utah, California, and Arizona: U. S. Geographical and Geological Surveys W. 100th Mer. Rept., vol. 3, pp. 21-42, 166. Presents a description of the Spring Mountains and a structural cross section at Cottonwood Spring.

Glock, W. S., 1927, Geology of the east-central part of the Spring Mountain Range, Nevada: American Journal of Science., 5th series., volume 17, pp. 326-341.

Gregory, N. B., 1910. The Yellow Pine district of Nevada, Engineering and Mining Journal, volume 90, pp. 1308-1309. Describes briefly principal mines

Guth, P.L., 1990, [Superposed Mesozoic and Cenozoic deformation, Indian Springs quadrangle, southern Nevada](#): Geological Society of America, Memoir 176, scale 1:165,000.

Hale, F. A., Jr., 1918, Ore deposits of the Yellow Pine mining district, Clark County, Nevada, American Institute of Mining and Metallurgy Engineering Transactions, volume 59, pp. 93-111. Describes areal geology and principal mines.

Hamil, G. S., IV, 1966, Structure and stratigraphy of the Mt. Shader quadrangle, Nye County, Nevada-Inyo County, California [Ph.D. thesis]: Houston, Texas, Rice Univ., 83 p.

Harder, 1919, Iron-depositing bacteria and their geologic relations, USGS Professional Paper, 113.

Hazard, J. C. . , 1937, Paleozoic section in the Nopah and Resting Springs Mountains, Inyo County, California: California Division of Mines and Geology\_ Bulletin, v. 33, p. 273-339.

Hazard, J. C. and Mason, J. F., 1936, Middle Cambrian formations of the Providence and Marble Mountains, California: Geological Society of America Bulletin, v. 47, p.220.:240.

Hewett, D. F., 1923, Carnotite in southern Nevada: Engineering and Mining Journal, v. 115, no. 5, p. 232-235.

Hewett, D. F., 1931, Geology and ore deposits of the Goodsprings quadrangle, Nevada: USGS Professional Paper 162, 172 p. See p. 158.

Hewett, D.F., 1956, Geology and mineral resources of the Ivanpah quadrangle, California and Nevada: USGS, Professional Paper 275, 172; scale 1:125,000.

Hewett, D. F., Callaghan, Eugene, Moore, B. N., Nolan, T. B., Rubey, W. W., and Schaller, W. T., 1936, Mineral resources of the region around Boulder Dam: U.S. Geol. Survey Bulletin 871, 197 p..

Heikes, V.C., 1931, U.S. Bureau of Mines, San Francisco in Hewett, D. F., 1931, Geology and ore deposits of the Goodsprings quadrangle, Nevada: USGS Professional Paper 162, 172 p. See p. 71-79).

Hill, J.M., 1912, The mining districts of the western United States: U.S. Geological Survey Bulletin 507, 309 p.

Hill, J. M., 1914, The Yellow Pine mining district, Clark County, Nevada, U. S. Geol. Survey Bulletin 540, pp. 223-274. Describes areal geology, general structure, and features of principal mines.

Hinz, N.H, Ramelli, A.R., and Dee, Seth, 2015, **Preliminary geologic map of the Sloan quadrangle, Clark County, Nevada**, Nevada Bureau of Mines and Geology, Open File Report 15-7, 1:24,000

Historian's Office, Church of Jesus Christ of Latter-day Saints, Salt Lake City, personal communication.

Hoover, D. L., Swadley, W. C., and Gordon, A. J., 1981, Correlation characteristics of surficial deposits with a description of surficial stratigraphy in the Nevada Test Site region: U.S. Geological Survey; Open-File Report 81-512, 44 p.

House, P.K., and Park, B.K., 2003, [Preliminary Quaternary geologic map of the east half of the Goodsprings Quadrangle, Clark County, Nevada](#): Nevada Bureau of Mines and Geology, Open File Report 03-24, scale 1:24,000.

House, P.K, Buck, B.J., and Ramelli, A.R., 2006, Preliminary surficial geologic map of the Ivanpah Valley part of the Goodsprings and Shenandoah Peak 7.5' quadrangles, Clark County, Nevada: Nevad

Howard, Keith A., Christiansen, P.P., and John, B.E., 1993, Cenozoic stratigraphy of northern Chemehuevi Valley and flanking Stepladder Mountains and Sawtooth Range, southeastern Calif., in Tertiary stratigraphy of highly extended terranes, California, Arizona, and Nevada D.R. Sherrod, D.R. and J.E. Nielson, ed.: U.S. Geological Survey Bulletin 2053, p. 95-97.

Howard, Keith A., John, B.E., Davis, G.A., Anderson, J.L., and Gans, P.B., 1994, A guide to Miocene extension and magmatism in the lower Colorado River region, Nevada, Arizona, and California: U.S. Geological Survey Open-File Report 94-246, 54 p.

House, P.K., Ramelli, A.R., and Buck, B.J., 2006, **Surficial geologic map of the Ivanpah Valley area, Clark County, Nevada**, Nevada Bureau of Mines and Geology, Map 156, 1:50,000

Hughes, J.L., 1966, [Some aspects of the hydrogeology of the Spring Mountains and Pahrump Valley, Nevada, and environs, as determined by spring evaluation](#): Mackay School of Mines, scale 1:25,000.

IntraSearch, 1977, [Geologic Map of the Las Vegas Quadrangle](#): IntraSearch, Inc, scale 1:250,000. Nevada Bureau of Mines and Geology.

Ivosevic, S.W., 1976, Geology and ore deposits of the Johnnie District, Nye County, Nevada, University of Nevada, Reno, series unknown, 1:24,000.

Jahns, R.H., ed., Bailey, T.L., Bear, T.L., Buwalda, J.P., Dibblee, T.W., Jr., Emery, K.O., Grant, U.S., Hertlein, L.G., Hewett, D.F., Hoots, H.W., Kleinpell, W.D., Noble, L.F., Schoellhamer, J.E., Vedder, J.G., Woodford, A.O., Wright, L.A., and Yerkes, R.F., 1954, Geology of the natural provinces, California Geological Survey, Bulletin 170, Chapter II, 1:95,280; Map 8 of 9: Death Valley Area

Jennings, Charles W., 1958, Death Valley Sheet, Geologic Map of California, Olaf P. Jenkins Edition, California Division of Mines and Geology, Scale 1: 250,000



Jennings, C.W., 1961, [Geologic map of California : Kingman sheet](#): California Division of Mines and Geology, Geologic Atlas of California GAM-06, scale 1:250,000.

Jones, J.C. and E.W Stone, 1920, Arden, in Stone, R. W., and others, 1920, Gypsum deposits of the United States: U.S. Geological Survey Bulletin 697:155-158.

Keeley, J. R., 1893, A promising district: Mining and Scientific Press, volume 67, p. 113, 1893, vol. 66, p. 260, 189

Kleinhampl, F.J., and Ziony, J.I., 1967, [Preliminary geologic map of northern Nye County, Nevada](#): U.S. Geological Survey, Open-File Report OF-67-129, scale 1:200,000.

Kleinhampl, Frank J and Joseph I. Ziony, 1984, Mineral Resources of northern Nye County, Nevada, Nevada Bureau of Mines and Geology Bulletin 99B, 172 p. with maps

Kleinhampl, Frank J and Joseph I. Ziony, 1985, Geology of northern Nye County, Nevada, Nevada Bureau of Mines and Geology Bulletin 99A, 172 p. with maps

Knopf, Adolph, 1915, A gold-platinum-palladium lode in southern Nevada: U.S. Geol. Survey Bull. 620-A, p. 1-18. Describes the Boss mine and its minerals

Knopf, Adolph, 1918, A geological reconnaissance of the Inyo Range and the eastern slope of the Sierra Nevada, Inyo County, California, USGS Professional Paper 110.

Kral, V. E., 1951, Mineral resources of Nye County, Nevada, Nevada University Bulletin, v. 45, no. 3, Geology and Minerals Series No. 50.

Lincoln, F. C., 1923, Mining districts and mineral resources of Nevada: Nevada Newsletter Publishing Company, Reno, Nevada.

Longwell, C. R., 1921, Geology of the Muddy Mountains, Nevada: American Journal of Science, 4th series, volume 50, pp. 39-62.

Longwell, C. R., 1926, Structural studies in southern Nevada and western Arizona: Geological Society of America Bulletin, volume 37, pp. 551-584.

Longwell, C. R., 1928a, Geology of the Muddy Mountains, Nevada, American Journal of Science, 5th series, vol. 1, pp. 39-62,

Longwell, C. R., 1928b, Geology of the Muddy Mountains, Nevada, U. S. Geological Survey Bulletin 798.

Longwell, C.R., 1960, Possible explanation of diverse structural patterns in southern Nevada: American Journal of Science., v. 258-A, p. 192-203.

Longwell, C. R., Pampeyen, E. H., Bowyer, B., Roberts, R. J., 1965 , Geology and Mineral Deposits of Clark County, Nevada, Nevada Bureau of Mines and Geology, Bulletin 62, p. 186

Lotz, T. A., 1934, Biennial report of the Surveyor General and State Land Register for the period July 1, 1932, to June 30, 1934, inclusive: Carson City, Nevada, State Printing Office, p. 16-24

Ludington, Steve, 2006, Mineral resource assessment of selected areas in Clark and Nye counties, Nevada, U.S. Geological Survey, Scientific Investigations Report 2006-5197, <https://pubs.usgs.gov/sir/2006/5197/> ; <https://pubs.usgs.gov/sir/2006/5197/sir2006-5197.pdf>

Lundstrom, S.C., Mahan, S.A., Blakely, R.J., Paces, J.B., Young, O.D., Workman, J.B., and Dixon, G.L., 2003, **Geologic map of the Mound Spring quadrangle, Nye and Clark Counties, Nevada, and Inyo County, California**, U.S. Geological Survey, Miscellaneous Field Studies Map MF-2339, 1:24,000

Mahon, R.C., Dehler, C.M., Link, P.K., Karlstrom, K.E., and Gehrels, G.E., 2014, [Geochronologic and stratigraphic constraints on the Mesoproterozoic and Neoproterozoic Pahrump Group, Death Valley, California: a record of the assembly, stability, and breakup of Rodinia](#): Geological Society of America, Bulletin v. 126, n. 5-6, p. 652, scale 1:1,333,000.

Matti, J.C., and Morton, D.M., 1982, [Preliminary Geologic Map of the Las Vegas Northwest Quadrangle](#): Nevada Bureau of Mines and Geology, Open File Report 82-4, scale 1:24,000.

Maxey, G.B., and Jameson, C.H., 1948, [Geology and Water Resources of Las Vegas, Pahrump, and Indian Spring Valleys, Clark and Nye Counties, Nevada](#): Nevada Division of Water Resources, Water Resources Bulletin 5, scale 1:125,000.

Moore, B.N., 1936, Clark County, Nevada, in Hewett, D. F., Callaghan, Eugene, Moore, B. N., Nolan, T. B., Rubey, W. W., and Schaller, W. T., 1936, Mineral resources of the region around Boulder Dam: U.S. Geol. Survey Bull. 871, p. 167.

MRDS, 2011, Mineral Resources Data System, U.S. Geological Survey; <https://mrdata.usgs.gov/mrds/>

Nevius, J. N., 1915, Reconnaissance of the Goodsprings district, Nevada: Mining World, volume 42, pp. 897-899.

Nolan, T. B., 1929. Notes on the stratigraphy and structure of the northwest portion of Spring Mountain, Nevada, American Journal of Science, 5th series, volume. 217, pp. 461-472

Palmer, L. A., The Yellow Pine district, Nevada, Engineering and Mining Jour., volume 102, pp. 123-125. Describes the principal mines and mills.

Page, W.R., Lundstrom, S.C., Harris, A.G., Langenheim, V.E., Workman, J.B., Mahan, S.A., Paces, J.B., Dixon, G.L., Rowley, P.D., Burchfiel, B.C., Bell, J.W., and Smith, E.I., 2005, **Geologic and geophysical maps of the Las Vegas 30' x 60' quadrangle, Clark and Nye Counties, Nevada, and Inyo County, California**, U.S. Geological Survey, Scientific Investigations Map SIM-2814, Scale 1:100,000

Page, W.R., Dixon, G.L., and Workman, J.B., 1998, [The Blue Diamond landslide: a Tertiary breccia deposit in the Las Vegas area, Clark County, Nevada](#): Geological Society of America, Map and Chart Series MCH083, scale 1:24,000.

Matti, J.C., and Bachhuber, F.W., 1982, [Preliminary geologic map of the Las Vegas Southwest quadrangle \[superseded by Matti and Bachhuber, 1985, Nevada Bureau of Mines and Geology, Urban Map 3Bg\]](#): Nevada Bureau of Mines and Geology, Open File Report 1982-06, scale 1:24,000.

McDonnell-Canan, Cheryl, Axen, Gary, Carr, M.D., and Weide, D.L., 2000, [Geologic map of the Blue Diamond NE quadrangle, Nevada](#): Nevada Bureau of Mines and Geology, Map 124, scale 1:24,000.

Morris, H.T., 1986, Descriptive model of polymetallic replacement deposits, in Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 99-100

Nolan, T. B., 1924, Geology of the Northwest portion of the Spring Mountains, Nevada: Ph.D. dissert., Yale Univ., 125 p.

Page, William R., Scott C. Lundstrom, Anita G. Harris, Victoria E. Langenheim, Jeremiah B. Workman, Shannon Mahan, James B. Paces, Gary L. Dixon, Peter D. Rowley, B.C. Burchfiel, John W. Bell, Eugene I. Smith, 2005, Geologic and geophysical maps of the Las Vegas 30' x 60' quadrangle, Clark and Nye counties, Nevada, and Inyo County, California, U.S. Geological Survey, Scientific Investigations Map sim2814; Scale 1:100,000

Papke, K.G., 1987, Gypsum deposits in Nevada: Nevada Bureau of Mines and Geology Bulletin 103, 26 p.

Ramelli, A.R., dePolo, C.M., and Bell, J.W., 2001, [Preliminary geologic map of the south half of the Horse Springs Quadrangle, Nye and Clark Counties, Nevada](#): Nevada Bureau of Mines and Geology, Open File Report 03-6, scale 1:24,000.

Ramelli, A.R., dePolo, C.M., and Bell, J.W., 2002, [Preliminary geologic map of the Horse Springs Quadrangle, Clark and Nye Counties, Nevada](#): Nevada Bureau of Mines and Geology, Open File Report 03-12, scale 1:24,000.

Ramelli, A.R., Page, W.R., Manker, C.R., and Springer, K.B., 2012, [Preliminary geologic map of the Corn Creek Springs NW quadrangle, Clark County, Nevada](#): Nevada Bureau of Mines and Geology, Open File Report 2012-07, scale 1:24,000.

Ransome, F. L., 1907, Preliminary account of Goldfield, Bullfrog, and other mining districts in southern Nevada: U.S. Geological Survey Bulletin 303

Raymond, R. W., 1871, Mineral resources of the States and Territories west of the Rocky Mountains, pp. 168-174. Quotes the report by C. A. Luckhardt, who examined the Comet (Potosi) mine about 1870.

Raymond, R. W., 1872, Statistics of mines and mining in the States and Territories west of the Rocky Mountains for 1871, pp. 168-174, 1872.

Reeside, J. D., and Bassler, Harvey, 1922, Stratigraphic sections in southwestern Utah and northwestern Arizona: U.S. Geol. Survey Prof. Paper 129, pp. 66-67.

Reynolds, R. E. and Calzia, J., 1996, Punctuated Chaos, in Punctuated chaos in the northeastern Mojave Desert, R.E. Reynolds and J. Reynolds, ed: San Bernardino County Museum Association Quarterly, vol. 43, no. 1, 2, p. 131-134.

Richards, Arthur and David A. Phoenix, 1954, Accident Mine, in. Alberton, Claude C., Jr. and, Arthur Richards, Arnold L. Browkaw and John A. Reinmung, 1954, Geologic Controls of Lead and Zinc Deposits in Goodsprings (Yellow Pine) District, Nevada, USGS Bulletin 1010, 110 p. See p. 97-99

Schilling, 1962, Vanadium Occurrences in Nevada, Nevada Bureau of Mines and Geology, Map 10, Deposit No. 32.

Schmidt, Kevin M. and Matther McMackin, 2006, Preliminary surficial geologic map of the Mesquite Lake 30' x 60' quadrangle, California and Nevada, U.S. Geological Survey, Open File Report 2006-1035, Scale 1:200,000.

Secor, D. R., Jr., 1963, Geology of the central Spring Mountains, Nevada , Ph.D. dissertation, Stanford, California, Stanford University., 152 p.

Slate, J.L., Berry, M.E., Rowley, P.D., Friderich, C.J., Morgan, K.S., Workman, J.B., Young, O.D., Lundstrom, S.c., Ekren, E.B., Warren, R.G., Cole, J.C., Fleck, R.J., Lanphere, M.A., Sawyer, D.A., Grunwald, D.J., Laczniak, R.J., Menges, C.M., Yount, J.C., and Jayko, A.S., 2000, Digital geologic map of the Nevada Test Site and vicinity, Nye, Lincoln, and Clark Counties, Nevada, and Inyo County, California: U.S. Geological Survey, Open-File Report OF-99-554-A, scale 1:120,000.

Slate, Janet L., Margaret E. Berry and Christopher M. Menges, 2009, Surficial geologic map of the Death Valley Junction 30' x 60' Quadrangle, California and Nevada, U.S. Geological Survey, Scientific Investigations Map 3013, Scale 1:100,000

Spurr, J. E., 1901, Origin and structure of the Basin Ranges: Geological Society of America Bulletin, volume 12, pp. 235-236. Describes general structure of the Spring Mountains and concludes that the range is synclinal.

Spurr, J. E., 1903, Descriptive geology of Nevada south of the fortieth parallel and adjacent portions of California: U. S. Geological Survey Bulletin 208, pp. 164-180. Presents descriptions of areal geology and structural features in the Spring Mountains, largely on the basis of work by R. B. Rowe in 1900-1901.

Stewart, J.H., 1965, Precambrian and Lower Cambrian formations in the Last Chance Range area, Inyo County, California: U.S. Geological Survey, Bulletin 1224-A, scale 1:530,209.

Stewart, John H. and John E. Carlson, 1978, Geologic Map of Nevada, U.S. Geological Survey map NGM-16377. Made in cooperation with the Nevada Bureau of Mines and Geology, Scale 1:500,000.

Streitz, Robert and Melvin C. Stinson, 1974, Death Valley Sheet, Geologic Map of California, , California Division of Mines and Geology, Scale 1: 250,000

Stoddard, C., 1932, Metal and nonmetal occurrences in Nevada: University of Nevada Bulletin, Bulletin of Nevada State Bureau of Mines and Mackay School of Mines, v. 26, no. 6 (Nevada Bureau of Mines and Geology Bulletin 16), 131 p.

Stone, R. W., and others, 1920, Gypsum deposits of the United States: U.S. Geol. Survey Bulletin 697.

Taylor, J.B. Jr., 1963, [The geology of the Indian Springs Region, Clark County, Nevada](#): University of California, Los Angeles, scale 1:20,000.

Tingley, Joseph V., 1998, Mining Districts of Nevada, Second Edition, Nevada Bureau of Mines and Geology, Report 47, Plate 1 and digital report, no page numbering.

Vandenberg, 1937, Reconnaissance of mineral districts in Clark County, Nevada, USGS Information Circular 6964, P. 54

U.S. Bureau of Mines (BOM), 1985, Open File Report MLA 41-85, 1985, TABLE 1, NO.

Vanderburg, W.O., 1937b, Reconnaissance of mining districts in Clark County, Nevada: U.S. Bureau of Mines Information Circular 6964, 81 p.

Vikre, Peter, Quentin J. Browne, Robert Fleck, Albert Hofstra, Joseph Wooden, 2011, Ages and Sources of Components of Zn-Pb, Cu, Precious Metal, and Platinum Group Element Deposits in the Goodsprings District, Clark County, Nevada, Economic Geology (2011) 106 (3): 381-412. See <https://doi.org/10.2113/econgeo.106.3.381>

Vincelette, R. R., 1964, Structural geology of the Mt. Stirling quadrangle, Nevada, and related scale-model experiments [Ph.D. thesis]: Stanford, Calif., Stanford University., 141 p.

Waring, G. A., 1902, Ground water in Pahrump, Mesquite, and Ivanpah Valleys, Nevada and California, U. S. Geological Survey Water-Supply Paper 450, pp. 51-86. A summary of existing data concerning ground water in wells or springs in these valleys

Walker, G.E., and Eakin, T.E., 1963, [Geology and Ground Water of Amargosa Desert, Nevada-California](#): Nevada Department of Conservation and Natural Resources, Ground-Water Resources - Reconnaissance Series Report 14, scale 1:125,000.

Weide, David L., 1982, Surficial geologic map of the Las Vegas 1° x 2° Quadrangle, Nevada, Arizona, California and Utah, U.S. Geological Survey, Open File Report 82-706, Scale 1:250,000.

Wheeler, G.M., 1872, Preliminary report concerning explorations and surveys principally in Nevada and Arizona: Washington, D.C., U.S. Army Corps. of Engineers, 96 p., map, scale 1:1,500,000 (approx.).

White, A.F., 1871, Report of the mineralogist of the State of Nevada for the years 1869 and 1870: Carson City, Nevada, 128 p.

Whitehill, H.R., 1873, Biennial report of the state mineralogist of the State of Nevada for the years 1871 and 1872: Carson City, Nevada, 191 p.

Whitehill, H.R., 1875, Biennial report of the state mineralogist of the State of Nevada for the years 1873 and 1874: Carson City, Nevada, 191 p.

Whitehill, H.R., 1877, Biennial report of the state mineralogist of the State of Nevada for the years 1875 and 1876: Carson City, Nevada, 226 p.

Whitehill, H.R., 1879, Biennial report of the state mineralogist of the State of Nevada for the years 1877 and 1878: Carson City, Nevada, 212 p.

Wilkerson, Gregg, 2019, Southern Spring Mountains (a.k.a. Goodsprings) Mining District, Clark County, Nevada and San Bernardino County, California. In David Miller, editor, Exploring ends of eras in the eastern Mojave Desert, Proceedings of the 2019 Desert Symposium, Desert Symposium Inc., pp. 104-112.

Wilkerson, Gregg, 2024a, Geology and Mining History of the Central Spring Mountains, Clark County, Nevada; <http://www.greggwilkerson.com/spring-mnts-central.html>

Wilkerson, Gregg, 2024b, Geologic Mosaic for the Central Spring Mountains, Clark and Nye Counties, Nevada;  
<http://www.greggwilkerson.com/geological-mosaic.html>

Wilkerson, Gregg, 2024c, Topographic Mine and District Map of the Central Spring Mountains, Clark and Nye Counties, Nevada;  
<http://www.greggwilkerson.com/topo-mine-map.html>

Wilkerson, Gregg and Larry Vredenburgh, 2024, Railroads and mining in the Mojave Desert and southwestern Great Basin, California and Nevada, in Get your kicks: Trails across the Mojave, David M. Miller and Stephen M. Rowland, editors, 2024 Desert Symposium Field Guide and Proceedings April 2024, Desert Symposium, Inc.; p. 47-69: <http://www.greggwilkerson.com/railroads.html>

White, Douglas, 1909, The zinc mines of southern Nevada, America Mining Congress, Twelfth Annual Report Proceedings., pp. 401-411. Describes briefly Monte Cristo, Bonanza, Mobile, Green Monster, and other mines.

White, Douglas, 1909, The zinc mines of southern Nevada, American Mining Congress, 12th annual session, Report of Proceedings., pp. 401-411.

Whitney, J. D., 1865, Geological Survey of California, vol. 1, pp. 469-474. Quotes from the report of J. R.N. Owen, who explored the country along the California border in 1861.

Wheeler, G. M., 1871, Preliminary report concerning explorations and surveys, principally in Nevada and Arizona, 1871, p. 523, 1872.

Wilson, Edward C. Permian corals from the Spring Mountains, 1991, Nevada, Journal of Paleontology, (1991) 65 (5): 727-741.

Workman, J.B., Lundstrom, S.C., Blakely, R.J., and Dixon, G.L., 2008, **Geologic map of the Hidden Hills Ranch quadrangle, Clark County, Nevada**, U.S. Geological Survey, Scientific Investigations Map SIM-3033, 1:24,000

Workman, J.B., Menges, C.M., Page, W.R., Taylor, E.M., Ekren, E.B., Rowley, P.D., Dixon, G.L., Thompson, R.A., and Wright, L.A., 2002, Geologic map of the Death Valley ground-water model area, Nevada and California, U.S. Geological Survey, Miscellaneous Field Studies Map MF-2381-A, 1:250,000

Workman, J.B., Menges, C.M., Page, W.R., Taylor, E.M., Ekren, E.B., Rowley, P.D., Dixon, G.L., Thompson, R.A., and Wright, L.A., 2002, Geologic map of the Death Valley ground-water model area, Nevada and California, U.S. Geological Survey, Miscellaneous Field Studies Map MF-2381-A, 1:250,000